Mojj Philosophy

We belive and recognize the basic fact that each customer has his own specific and not so specific needs to be catered to, requirements to be met and problems to be solved. We therefore strive in giving our services suited to these specific and peculiar needs of our customer. This calls for understanding these needs and transferring them into an engineering solution. No aspect of a plant is too minor to be ignored and no process requirement too complex to be met.

Evaporators Bio-Technology Dryers • Spray Falling Film Fermentation and • Fluid Bed Forced Circulation Distillation • Flash • Scraped Surface Composting Wiped Film Rotary Pre-Clarifiers Conduction Natural Circulation Range of **Pollution Control** Mixers **Turnkey plants Products** Top Entry · Liquid Milk • Flue Gas Spray Scrubber • Side Entry Powder Milk • Wet Scrubber Blenders • Starch Incinerators Blungers Detergents • Bag Filters • Thermal oxidiser



Engineering Pvt. Ltd.

ISO 9001:2008

MOJJ Engineering Systems Ltd. 81-B /15, M. I. D. C. Bhosari, Pune - 411 026 (India). Tel: + 91-20-27120360 / 27122837.

Fax: +91-20-27127198

mojjpune@vsnl.net

dryer@mojjpune.com

evaporator@mojjpune.com

distillery@mojjpune.com

Website: http://www.mojjpune.com

CEE Engineering Pvt. Ltd.

3025 / 8, Shreenidhi Chambers, Senapati Bapat Road, Pune - 411 016 (India).

through Anguil USA

Tel.: +91-20-25658205 / 25658206

Fax.: +91-20-25658204

Email:

sales@compengg.com

sales@ceeindia.com

http:www.compengg.com

Websites:

http://www.compevaporators.com

http:www.compdetergentplants.com

http:www.compspraydryers.com

Concept to Commissioning







Excellence Through Innovation

EXPERIENCE

FRONTRUNNER IN SPRAY DRYERS

Over 26 Years of Drying Experience



Over 600 Dryer Installations Worldwide

SPRAY DRYERS

FLUID BED DRYERS

FLASH DRYERS

AGITATED FLASH DRYERS

ROTARY DRYERS

CONDUCTION DRYERS

AGITATED THIN FILM DRYERS

VACCUM DRYERS

SPRAY DRYERS

This is a single step drying operation in which liquid feed solutions, emulsions, dispersions or slurries are directly converted to free flowing powder or granules.

Spray Dryers are custom designed to achieve product characteristics. Proper atomization methods and air flow patterns are selected to achieve this.

ROTARY DISC ATOMIZATION

A high speed rotating disc is used for atomizing the liquid feed. The disc throws the liquid outward or tangentially at high velocities forming fine droplets / mist. Instant drying takes place in contact with hot air forming free flowing dry powder.

Discs designs include straight / curved vanes, pin wheels, multilayer discs in diameters of 60mm, 100mm, 160mm, 250mm & 350mm for different capacities.

For high temperature applications special bearing cooling arrangements are provided.















FRONTRUNNER IN SPRAY DRYERS

NOZZLE ATOMIZATION

Feed Solution or Slurry at high pressure is atomized through a nozzle into fine droplets and then dried instantaneously. Various types of air flow patterns are possible with nozzle atomization systems. Nozzle type spray dryers are used to produce material in the granular, non-dusty form or powder form as required.

Depending on the desired physical properties of end product, the choice of co-current, counter current or mixed air flow is selected.







TWO-FLUID NOZZLE. **FOUNTAIN MODE**



FEATURES

- · Wide range of materials can be dried.
- Options of both single fluid / two fluid nozzles.
- Easy to operate and user friendly.
- · Compact layout.
- · Automatic / Remote nozzle change over with steam / air flushing.
- PLC / DCS
- Explosion proof designs





CUSTOMIZED DRYING

FLUIDISED SPRAY DRYERS CUM GRANULATORS

Spray Dryers with Integrated Fluid Beds are ideally used to meet special particle size, dispersibility and bulk density requirements. The spray comes in contact with fluidized dried particles and agglomerates. External fluidized bed systems are provided for finish drying, de-dusting, and product cooling.



APPLICATIONS

- Suitable for production of granular, non dusting, instantised or hygroscopic products.
- Plant evaporation capacities from 100 Kg / hr onwards
- Design available for explosive / hazardous products.
- Energy efficient operation



INTEGRATED FLUID BED DRYER

EXTERNAL FLUID BED DRYER





CLOSED LOOP SPRAY DRYERS

When the product to be dried is oxidisable or laden with flammable / explosive solvents, nitrogen purged closed loop systems are preferred. These are typically used in Pharma Industry.

ADVANTAGES

- Ideal for solvent laden, flammable / explosive product to be dried.
- Inert gas drying avoids oxidising of material.
- Recovery of costly solvents
- Special nitrogen purged atomizers to achieve desired product particle size and bulk density.
- Solvent recovery of upto 98.5%

RELIABLE TECHNOLOGY IN CONDUCTION DRYERS

REVOLUTIONARY ROTARY DRYERS

CONDUCTION DRYERS

This range of dryers employ the conduction mode of drying. These dryers ensure low temperature gentle drying of the product. Conduction dryers are designed taking into consideration the wet and dry product flow characteristics, lump crust formation tendency and thermal sensitivity. These could be indirect with tubes or jacket.



INDIRECT STEAM TUBE ROTARY DRYER

Indirect Steam Tube Rotary Dryer comprises of tubes fixed to a rotating shell. Steam passes through the tubes. The wet material present in the rotary shell is lifted by means of lifters and showered. The product is dried by means of the indirect contact with steam. The entire shell is supported on rollers and rotated by means of tyres & girth gear.

A Sealing arrangement is provided to avoid air leakage and product losses.

ADVANTAGES

Rugged construction | Continuous operation | Gentle drying of material Thermally efficient | Low operating & maintenance cost

ROTARY TUBE BUNDLE DRYERS

A Tube Bundle is like a heat exchanger, rotated in a stationary insulated housing. Lifters provided on the tube bundle lift the material and shower them on the hot tube bundle surface. Steam is passed from one end of Tube Bundle for drying and condensate is removed from the other end

ADVANTAGES

- · Gentle drying.
- · No breaking of material.
- · High heat economy.
- · Continuous operation.



ROTARY DRYERS

Rotary Dryers are work horses. They are rugged and robust in which the solids to be dried are showered in a hot stream of air and dried during travel through the dryer.



DIRECT ROTARY DRYER

Direct Rotary Dryer comprises of a rotating inclined shell through which a hot stream of air flows. The wet material present in the rotary shell is lifted by means of spiral flights and showered in hot flowing air. Due to this direct contact, the product is dried.

Rotary Dryers are available with co-current or counter current air flow patterns depending on the properties of individual products to be dried.

The internals are designed to ensure uniform distribution over the entire cross section.

The entire shell is supported on rollers and rotated by means of tyres and girth gear or by means of a friction drive. Sealing arrangement is also provided so as to have a minimum air leakage and product loss.



DIRECT ROTARY COOLERS

Direct Rotary Coolers are used for cooling product to the desired temperature before packing. The product is showered in an air stream by internal lifters. Amblent de-humidified air is used for cooling.

ADVANTAGES

Ideally suited for large capacity application and uneven particle size distributionContinuous operation and versatile application | Low operating & maintenance cost.

STATE-OF-THE-ART FLUID BED DRYERS

FLUID BED DRYERS CUM COOLERS

Fluid bed dryers are offered for free flowing granular powders. These are static equipment having benefits of high Heat Transfer coefficient. Cooling is possible just by extension of the Fluid Bed.



VIBRATORY FLUID BED DRYERS

Vibratory Fluid bed dryers are used for granular / crystaline powders which are difficult to fluidize. Air fluidization is supplemented by mechanical vibrations to achieve uniform bed distribution on the perforated plate.

The dryer offers better control on fluidisation, residence time, product moisture and dust levels.

Explosion proof designs



CLOSED LOOP FLUID BED DRYERS

- Inertised drying of free floowing Agro chemical cake with ethyl acetate solvent.
- Reduces risk of oxidization of product.



ADVANTAGES

Adjustable residence times to suit each individual product | Uniform product temperature possible Drying and cooling in a single step

WINNING TECHNOLOGY IN FLASH DRYERS



FLASH DRYERS

Flash Dryers are used for drying wet cakes, crystals or granular products. These are long ducts carrying air at a high velocity and the material is dried while it is pneumatically conveyed along with hot air.

ADVANTAGES

- Continuous operation & single step drying of free flowing powders, crystals.
- Unique feeding devices for taking case of uneven feed moistures.
- · Less floor space.

CAGE MILL FLASH DRYERS

For materials where size reduction is desired along with drying Flash dryers with Cage Mills are ideally suited. Materials in the nature of lumps, semi-hardcakes can easily be dried.



AGITATED FLASH DRYERS

Are used when the material to be dried is sticky in nature, thixotropic and requires longer drying time.

Closed Loop design with inert gas for solvent recovery.

ADVANTAGES

Continuous operation & single step drying | Disintegration of dry hard product lumps or crusts Particle size control | Recycling of hot gases VACCUM DRYERS CLEANING IN PLACE

VACCUM DRYERS

Vaccum dryers are used to facilitate rapid and low temperature drying of heat sensitive products without raising their temperature.

ROTARY VACUUM DRYERS/COOLERS

These Dryers are horizontal cylindrical jacketed chambers and are equipped with a central shaft to which paddles or ribbons and scrappers can be attached for agitation and mixing.

Vacuum in drying chamber allows drying of material at low temperature.

For recovery of solvent condensors and receivers are provided.

ADVANTAGES

- Low temperature agitated vacuum drying
- Ideal for heat sensitive products which can be agitated.
- · Minimum space required.
- · Recovery of Solvent



ADVANTAGES

Solvent Recovery

Low temperature gentle drying.Ideal for heat sensitive products.

· Minimum space required.

AIR BROOM

Air broom is made of pipe having multiple nozzles. This broom pipe is rotating inside the Drying Chamber at low rpm through gear box and motor.

Dehumidified air is passing through the pipe for air brooming through nozzles to remove the deposition from chamber shell.

CLEANING IN PLACE (CIP)

Cleaning in Place, as a packaged system, can be added on to the Drying system where frequent cleaning of dryer chamber or the complete plant is required. Cleaning can be with manual or automatic sequential operation.

ADVANTAGES

Quick product changeover | Economical use of wash water | Uniform and consistent washing













SAFETY

Drying Systems are also offered incorporating special safety features like Pressure / Vacuum relief device, Rupture Vents, Fire Fighting features, Explosion Isolation Barriers etc.

Depending on the product characteristics and operating conditions of the dryer, the system components can be custom designed to withstand the permissible over-pressure requirements.

CONTROLS & INSTRUMENTATION







The performance, safety and efficiency of a drying system depends upon accurate monitoring & control of the operating parameters and control logic.

Manual / semi-automatic or fully automatic control modes can be incorporated - Microprocessor based single loop feedback / cascade controls; Programmable Logic Control (PLC) with man machine interface / Personal computer or Distributed Control system (DCS) interface to match the client's control philosophy.



RESEARCH AND DEVELOPMENT

R & D Center recognized by Dept. of Sciences & Technology, Govt. of India houses facilities for laboratory testing of materials on Pilot plants.

THE LABORATORY HOUSES PILOT PLANTS FOR

Spray Dryer | Agitated Flash Dryer | Fluid Bed Dryer | Integrated Fluidised Bed Spray Dryer
Air De-humidification unit | Automated Controls & Instrumentation







Multistage spray dryer
[Various design of atomizer wheels]
Vibratory fluid bed dryer

Agitated Flash Dryer [Options of various designs of Attritors]

Agitated Thin Film Dryer

Image Analysis of Spray Dried Products Comparison of Samples







External Lab sample analysis

Laboratory testing on material is conducted by well trained & dedicated professionals to establish characteristics and generate data for sizing, scale up & repeatability. The above services are offered to customers.

ACCOLADES

Recognition for us, in the field of dryers, has come by way of the prestigious Parkhe Award instituted by the chamber of Commerce for innovative design, development and commercialization of the Combination Spray Dryer.



Concept to Commissioning

www.mojjpune.com

ARENA OF SITE ACTIVITIES USER INDUSTRIES



- Large dryers can be built / assembled at site from shop fabricated components.
- Trained / skilled technical fabrication professionals.
- Experience of erection at various locations and altitudes.
- Timely completion using advanced modern tools.









CHEMICAL PROCESS INDUSTRIES

Aluminium hydroxide Sodium Sulphate Aluminium Flouride Organic Metals Formaldehyde Resins Organic Metals Fine Chemicals **Wood Preservatives Polymer Emulsions** Potassium Flouride Ligno Sulphonates Dicalcium Phosphate Managenese Sulphate Mangenese Corbonate Polystyerene Beads Metal Salts Vinyl Polymer Vinyl Sulphone

FOOD STUFF Whole / Skimmed Milk

Fruit Pulp & Juices

Tea and Coffee Extract
Lactose
Whole Egg Powder
Chilli
Instant coffee powder
Cheese
Cassein
Food Colours / Flavours
Cereals
Salts
Proteins

DYESTUFF & AUXILLARIES

Reactive Dyes
Dispersing Agents
Acid Dyes
Direct Dyes
Organic Pigments
Detergents
Tinopal
Disperse Dyes
Inorganic Pigments
Optical Brightner
Leather Chemicals
Basic Chromium Sulphate
Sodium Lauryl Sulphates
Olefin Sulphonate

NATURAL PRODUCTS

Herbal Extracts
Yeast
Hydrolised Protein
Alovera
Spirulina Algae
Enzymes
Cellulose
Acetates
Animal Feed / Waste

PHARMACEUTICAL

Pharma Base
Bulk Drugs
Manitol USP
Applied Pharma Ingredient
Pharma Intermediates
Clinical Dextran
Sodium-2-Ethyl Hexonate

CARBOHYDRATES

Starch
Gum
Maize / Wheat
Gluten
Wheat Flour
Soya Flour
Sorbitol
Maltodextrine
Glucose / Dextrose

PESTICIDES, FUNGICIDES, HERBICIDES

Sulphur Derivatives Mancozeb Urea Formldehyde Melamine Formaldehyde

CERAMICS & MINERALS

Kaolin Silica Enamels Sand Coal Limestone **Ferrites** Zirconium Silicate Metal Oxides Tableware Activated Earths Mica Alumina Tile Slip Insulators **Technical Ceramics**